

Dane techniczne dla produktu: HSATA100AW

SAT Antena 100/95cm, alu, >40dB wzmoc, montaż Monoblok, biała



SCHRACK-Info

Parabolic dishes with heavy-duty structure to endure harsh weather conditions and strict installation conditions.

Polyester powder coating for outdoor use.

Aluminium alloy dish at high resistance for long-lasting performances and effective protections against corrosion.

Double edging of the dish for high torsional stiffness.

Hot-galvanized steel mount with shaped molding to adhere to the reflector disc and reduce the contact pressure enhancing the mechanical stiffness.

TECHNICAL DATA

Extra stable antenna with double monoblock feedarm for premium performance.

Material:

- Aluminium dish
- Powder coated hot-galvanized mount
- Inox screws
- Die-casting aluminium feed holder

Extra stable:

- Double monoblock feedarm in one piece for maximum rigidity.

Super fast:

- Wing nuts

- Slot dish with inox screws for immediate mounting
- Pre-mounted mast bracket

Super performance:

- Excellent electric performances thanks to the accurate focus and to the available multifeed accessories.
- Diameter: 100 / 95 cm
- Material: Aluminium
- Gain at 12 GHz: 40,3 dB
- Mount material: Hot galvanized steel
- LNB fixing (Ø): 40 mm
- Windload at 140 km/h: 87,1 kg

Dane techniczne

Długość (mm)	1.070,00
Szerokość (mm)	1.000,00
Wysokość (mm)	300,00
Waga (kg)	12,50
Min. temperatura otoczenia (°C)	-40
Maks. temperatura otoczenia (°C)	60

Lista produktów

OPIS	Nr katalogowy
SAT Antena 100/95cm, alu, >40dB wzmoc, montaż Monoblok, biała	HSATA100AW
Dodatkowe akcesoria	
SAT Konwerter 1 wyjście Black	HSATL1A
SAT Konwerter 2 wyjścia black	HSATL2A
SAT Konwerter Quad 4 wyjścia	HSATL4A
SAT Konwerter Octo 8 wyjść	HSATL8A
SAT Konwerter Quattro do multiswitcha Złącza F pozłacane	HSATLSA--A
SAT uchwyt konwertera 3x, regul. alu do HSAT080A/085A/100A	HSATZLH3A