


Dane techniczne dla produktu: LI1007236-

I-RING Lampa ścienna 9.2W 670lm 3000K IP65 Antracyt



Informacja o produkcie

Indirect lighting in an organic ring shape summed up: the new I-RING wall light creates flexible and warm-white (3000K) accented lighting in upmarket outdoor areas thanks to its pivoting and rotatable lamp head. It also prevents light pollution as far as possible. The anthracite-coloured outdoor light is optimally protected thanks to its IP65 rating and features an exceptionally long lifespan of 50,000 hours. A well-rounded lighting experience.

Dane techniczne

Strumień świetlny (lm)	670
Barwa światła	Ciepła biała
Temperatura barwowa (K)	3000
Stopień oddawania barw (Ra)	≥80
Żywotność	50000
Możliwość ściemniania	nie
Klasa ochrony	I
Klasa efektywności energetycznej	D
Odporność na uderzenia	IK05
Rodzaj oprawy oświetleniowej	ścienna
Źródło światła w zestawie	Tak
Gniazdo	Płytki LED

Dane techniczne - kontynuacja

Moc (W)	9,20
Napięcie pracy AC (V)	100-240
Prąd roboczy mA (mA)	350
Montaż	naścienny
Kolor	antracytowy
Materiał	Aluminium
Długość (mm)	240
Wysokość (mm)	240
Średnica (mm)	240
Dodatkowe akcesoria	LI228753--
DłxSxW mm	240x240x82
ØxW mm	240x82

Lista produktów

OPIS	Nr katalogowy
I-RING Lampa ścienna 9.2W 670lm 3000K IP65 Antracyt	LI1007236
Dodatkowe akcesoria	
Zestaw śrub M8, stal nierdzewna	LI228753