

Dane techniczne dla produktu: LID14467--

# Pasek LED Marra 19,2W/m 60LED/m RGB+3000K 24VDC IP20

Ściemniany, rolka 5m



## Informacja o produkcie

RGBW flexible LED light strip, with SMD5050 LEDs, 60LEDs/meter, 19,2W/meter. Supplied in 5 meters roll, with white PCB and double adhesive tape for a better fixing. Can be cut every 10cm (6-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

## Dane techniczne

|                              |                                  |
|------------------------------|----------------------------------|
| Barwa światła                | Ciepła biała<br>RGB              |
| Temperatura barwowa (K)      | RGB+3000                         |
| Możliwość ściemniania        | w zależności od zasilacza<br>tak |
| Klasa ochrony                | III                              |
| Stopień szczelności          | IP20                             |
| Rodzaj oprawy oświetleniowej | pasek LED                        |
| Gniazdo                      | Płytki LED                       |
| Kąt padania światła (°)      | 120                              |
| Sterownik                    | należy zamówić oddzielnie        |
| Napięcie pracy DC (V)        | 24                               |

## Dane techniczne - kontynuacja

|                     |                                               |
|---------------------|-----------------------------------------------|
| Montaż              | naścienny<br>na podłożu<br>sufitowy natynkowy |
| Długość (mm)        | 5000                                          |
| Szerokość (mm)      | 12                                            |
| Wysokość (mm)       | 3                                             |
| Dodatkowe akcesoria | LID 13862--                                   |
| DłxSxW mm           | 5000x12x3                                     |
| Długość (mm)        | 5.000,00                                      |
| Szerokość (mm)      | 12,00                                         |
| Wysokość (mm)       | 3,00                                          |
| Waga (kg)           | 0,24                                          |

## Lista produktów

| OPIS                                                                                                                                                     | Nr katalogowy |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Pasek LED Marra 19,2W/m 60LED/m RGB+3000K 24VDC IP20<br>Ściemniany, rolka 5m                                                                             | LID14467      |
| <b>Dodatkowe akcesoria</b>                                                                                                                               |               |
| Profil aluminiowy trójkątny 2m + osłona opal PC<br>Kompatybilny z paskami LED 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W | LID13862      |